

DuoTurn Q

Mixer for concealed installation for 2 functions

Finish: **Matt White** Article Number: **75414700**



Description

product features

- 2 functions
- volume control and diverter for 2 functions
- maximum flow rate at 3 bar: 29,5 l/min
- maximum flow rate at 1 bar: 15 l/min
- flow rate upper outlet: 29,5 l/min
- ceramic cartridge for temperature control, shut-off/diverter valve
- flat escutcheon for more space in the shower
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- escutcheon can be aligned by +/- 3°
- material escutcheon: plastic
- material handles: metal
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- mixer is delivered with buttons Rain small, Rain large, hand sower, Waterfall, bath tub
- connection type: basic set iBox universal 2 (# 01500180)
- flow rate lower outlet: 29,5 l/min

Technology




Design awards



Product image




Scale drawing



DuoTurn Q
Mixer for concealed installation for 2 functions
 Finish: **Matt White** Article Number: **75414700**



Flowchart



DuoTurn Q
Mixer for concealed installation for 2 functions
 Finish: **Matt White** Article Number: **75414700**



Exploded Drawing

Year of production: >09/23

